Core Image Loader
January 20, 1966

```
                    ***    HDNG     1130 CORE IMAGE LOADER-CARD          CIL  000
                    *                                                    CILOOO10
                    *               CORE IMAGE LOADER                    CILOO 10
                           ABS                                           CILOOO30
02EE                       ORG      0                                    CILOOO40
                    *                                                    CILOO050
                    *                                                    CILOO060
0000                ZERO   EQU      0                                    CILOOO70
0000 0  7005        TEMP   MDX      START                                CILOOO80
0001 0  1004        MOVE   DC       /1004                                CILOOO90
0002 0  0000        MASK   DC       /0000                                CILOO100
0003 0  0020               DC       /0020                                CILOO110
0004 0  002C        READ   DC       CHECK                                CILOO120
0005 0  0000               DC       /0000     A REGISTER BELOW           CILOO130
0006 0  COFC        START  LD       MASK+1    0000 0000 0010 0000        CILOO140
0007 0  1002               SLA      2         0000 0000 1000 0000        CILOO150
0008 0  DOFA               STO      MASK+1    0000 0000 1000 0000 =MASK+1 CILOO160
0009 0  1002               SLA      2         0000 0010 0000 0000 -      CILOO170
000A 0  DOF5               STO      TEMP      0000 0010 0000 0000 =TEMP   CILOO180
000B 0  801D               A        SETUP     0110 0010 0001 1111        CILOO190
000C 0  DO1C               STO      SETUP     0110 0010 0001 1111 =SETUP LD CILOO200
000D 0  801E               A        CHECK     0111 0010 1111 1111        CILOO210
000E 0  DO1D               STO      CHECK     0111 0010 1111 1111 =CHECK MD CILOO220
000F 0  9038               S        AB+1      0111 0010 0000 0001        CILOO230
0010 0  DO37               STO      AB+1      0111 0010 0000 0001 =AB+1  MD CILOO240
0011 0  8019               A        LOOP           1101 0010 0000 0111   CILOO250
0012 0  DO18               STO      LOOP           1101 0010 0000 0111   CILOO260
0013 0  8033               A        AB             1101 0010 0010 1011   CILOO 10
0014 0  8032        J      A        AB                                   CILOO 0
0015 0  DO31               STO      AB             1101 0010 0100 1111   CILOO290
0016 0  C0E9               LD       TEMP      0000 0010 0000 0000        CILOO300
0017 0  80E9               A        MOVE           0001 0010 0000 0100   CILOO310
0018 0  D0EC               STO      READ+1         0001 0010 0000 0100   CILOO320
0019 0  8CE6               A        TEMP           0001 0100 0000 0100   CILOO330
001A 0  80E8               A        MASK+1         0001 0100 1000 0100   CILOO340
001B 0  90E5               S        MOVE      0000 0100 1000 0000        CILOO350
001C 0  DOE6               STO      MASK+1    0000 0100 1000 0000 =MASK+1 CILOO360
001D 0  1801               SRA      1         0000 0010 0100 0000        CILOO370
001E 0  80E1               A        TEMP      0000 0100 0100 0000        CILOO380
001F 0  8CE1               A        MOVE           0001 0100 0100 0100   CILOO390
0020 0  DOE0               STO      MOVE           0001 0100 0100 0100   CILOO400
0021 0  802B               A        SENSE          0001 0101 0000 0111   CILOO410
0022 0  80DD               A        TEMP           0001 0111 0000 0111   CILOO420
0023 0  D029               STO      SENSE          0001 0111 0000 0111   CILOO430
0024 0  CODD               LD       MASK                                 CILOO440
0025 0  18DB               RTE      27                                   CILOO450
0026 0  1004               SLA      4                                    CILOO460
0027 0  18C5               RTE      5                                    CILOO470
0028 0  DOD9               STO      MASK                                 CILOO480
0029 0  601F        SETUP  LDX      31        LOADS INDEX 2 WITH 31      CILOO490
002A 0  C01F               LD       FIXIT     LOAD  INTER.ROUTINES ADDR. CILOO500
002B 0  6006        LOOP   DC       /6006     = STO 2  7 PLACE IRA IN WDS CILOO510
002C 0  1060        CHECK  DC       /1060     =MDX 2 -1 THEN SKIPS OVER BRN CILOO 0
002D 0  70FD               MDX      LOOP      BRNCH BACK TO LOOP         CILOO 0
002E 0  0803               XIO      MASK      ALLOWS INTER.LEVELS 0-15   CILOO540
002F 0  0800        CARD   XIO      MOVE-1    STARTS CARD MOVING         CILOO550
0030 0  70FF        WAIT   MDX      WAIT      WAIT FOR INTER.,ALSO USED AS CILOO560
0031    0001        INTER  BSS      1         INTER. PROCESSING ROUTINE  CILOO570
```

```
0032 0  0819                    XIO     SENSE-1 GET DEVICE STATUS WORD      CIL005
                        *                                                   CIL005
                        *       THESE INSTRUCTIONS WILL BE OVERLAID DURING  CIL006
                        *       EXECUTION OF THE CIL. THIS AREA IS CALLED    CIL06
                        *       THE INPUT BUFFER.                           CIL006
                        *                                                   CIL066
0033 0  4828                    BSC     Z+      IF BIT ZERO OF DSW IS ON,SKIP CIL006
0034 0  7004           GO       MDX     COLM    BRNCH TO COLM IF HAVE COL REQ CIL006
0035 0  1002                    SLA     2                                   CIL006
0036 0  4828           EXIT     BSC     Z+                                  CIL006
0037 0  70FF           ME       MDX     ME      BRANCH TO ME,HAVE ERROR     CIL006
0038 0  7015                    MDX     CARD2   NO ERROR,GO EXECUTE CARD JUST CIL006
0039 0  08CA           COLM     XIO     READ    READ IN A COLUMN            CIL067
003A 0  C011                    LD      EVEN                                CIL067
003B 0  4804                    BSC     E       NO                          CIL067
003C 0  7005                    MDX     PACK      GO TO PACK                CIL067
003D 0  1801                    SRA     1                                   CIL067
003E 0  D00D                    STO     EVEN                                CIL067
003F 0  C0EC                    LD      CHECK   GET COLUMN WORD JUST READ IN CIL067
0040 0  D0E8                    STO     SETUP   SAVE IT IN SETUP            CIL067
0041 0  7007                    MDX     RESET   GO TO RESET                 CIL067
0042 0  1C01           PACK     SLA     1                                   CIL007
0043 0  D008                    STO     EVEN                                CIL080
0044 0  C0E7                    LD      CHECK   GET COLUMN WORD             CIL08
0045 0  1808                    SRA     8       SHIFT IT INTO POSITION      CIL08
0046 0  8CE2                    A       SETUP   ADD ODD COLM WORD TO GET CORE CIL08
0047 0  0024           AB       DC      /0024   STO 2 79                    CIL084
0048 0  00FE                    DC      /00FE                               CIL085
0049 0  4878           RESET    BOSC    +-Z                                 CIL
004A 0  0031           FIXIT    DC      INTER   INTER IS INTER ROUTINE ADDR. CIL
004B 0  70FF           SELF     MDX     SELF    WAIT FOR INTERRUPT          CIL088
004C 0  0032           EVEN     DC      /0032                               CIL089
004D 0  00C3           SENSE    DC      /00C3                               CIL090
004E 0  4878           CARD2    BOSC    +-Z                                 CIL091
                        *                                                   CIL092
                        *                                                   CIL093
                        *               DATA IN CARD 2 STARTS IN 004F       CIL094
                        *                                                   CIL095
                        *                                                   CIL096
004F 0  0005           SW1      DC      5               DECREMENT COUNTER TO CIL097
0050 00 74FF004F                MDX  L  SW1,-1          READ IN ALL BOOTSTRAP CIL098
0052 0  70DC                    MDX     CARD                    CARDS       CIL099
                        *                                                   CIL0100
                        *               THE SECTION BELOW MOVES DATA        CIL0101
                        *               FROM LOCATION /00D6 TO /0008        CIL0102
                        *                                                   CIL0103
0053 0  622E           CON      LDX     2 29+17                            CIL0104
0054 00 C60000D5                LD   L2 ONE+1                              CIL0105
0056 0  D203                    STO     2 J-17                            CIL0106
0057 0  72FF                    MDX     2 -1                              CIL0107
0058 0  70FB                    MDX     CON+1                             CIL0108
0059 0  1000                    NOP                                       CIL0109
005A 0  1000                    NOP                                       CIL0110
005B 0  7017                    MDX     CD                                CIL011
005C 0  0085           CK       DC      CK1                               CIL
005D 0  0080           FIX      DC      INT                               CIL0130
                        *                                                   CIL0140
                        *               END OF INPUT BUFFER                CIL0150
                        *                                                   CIL0160
```

```
005E                              ORG      /70                                    CILO11
0070 0   0000       CITST   DC       0          COL. INT. TEST INDICATOR           CILO11
0071 0   1402       CFEED   DC       /1402      IOCC TO FEED CARD                  CILO11
0072 0   0000       ER      DC       0                                             CILO12
0073 0   085E       CD      XIO      SCRP2-1    READER READY LOOP                  CILO12
0074 00  4C040073           BSC   L  *-3,E                                         CILO12
0076 0   1003               SLA      3                                             CILO12
                    *                                                              CILO12
                    *                                                              CILO12
                    *                  DATA IN CARD 3 STARTS IN /0077              CILO12
                    *                                                              CILO12
                    *                                                              CILO12
0077 00  4C10007B           BSC   L  *+2,-                                         CILO12
0079 0   08F6               XIO      CFEED-1    LAST CARD FEED OUT                 CILO13
007A 0   70F8               MDX      CD                                            CILO13
007B 0   1810               SRA      16         RESTORE COLUMN INT.                CILO13
007C 0   D0F3               STO      CITST      TEST INDICATOR                     CILO13
007D 0   0882               XIO      MOVE-1     START CARD MOVING                  CILO13
007E 0   3000       WAIT3   WAIT                                                   CILO13
007F 0   70F3               MDX      CD                                            CILO13
                    *                                                              CILO13
                    *           INTERRUPT SERVICE                                  CILO13
                    *                                                              CILO13
0080     0001       INT     BSS      1          ENTRY                              CILO14
0081 0   0850               XIO      SCRP2-1    SENSE DSW WITH RESET               CILO14
0082 0   4828               BSC      Z+         TEST FOR COL. INT.                 CILO14
0083 0   7011       GO1     MDX      COLM1      YES - SERVICE COLM.                CILO14
0084 0   1002               SLA      2          NO -                               CILO14
0085 0   4828               BSC      +Z                                            CILO14
0086 0   D0EB               STO      ER         SET ERROR INDICATOR                CILO14
                    *                                                              CILO14
                    *           OP COMPLETE PROCESSING                             CILO14
                    *                                                              CILO14
0087 0   C035       EOC1    LD       LAB+3      INITIALIZE COLUMN                  CILO15
0088 0   D017               STO      GOB+5      INTERRUPT ROUTINE                  CILO15
0089 0   904A               S        ONE                                          CILO15
008A 0   D00D               STO      LOOP1+1                                       CILO15
                    *                                                              CILO15
                    *                  RESTORE COLUMN INTERRUPT                    CILO15
                    *                  SERVICE ROUTINE                             CILO15
                    *                                                              CILO15
008B 0   C046               LD       RTEXX                                        CILO15
008C 0   D00E               STO      GOB                                           CILO15
008D 0   D00B               STO      GOB-2                                         CILO16
                    *                                                              CILO16
008E 0   C0E3               LD       ER         GET ERROR TEST INDICATOR           CILO16
008F 0   7098               MDX      FDCHK                                         CILO16
0090 0   00B5       RED     DC       CK1                                           CILO16
0091 0   1204               DC       /1204                                         CILO16
                    *                                                              CILO16
                    *           READER ERROR STOP                                  CILO16
                    *                                                              CILO16
0092 0   D00F       ERSTP   STO      ER         RESET ERROR INDICATOR              CILO16
0093 0   3000               WAIT                                                   CILO17
0094 0   7033               MDX      EOP-2                                         CILO17
                    *                                                              CILO17
                    *           COLUMN INTERRUPT PROCESSING                        CILO17
                    *                                                              CILO17
                    *              THIS ROUTINE SERVICES COLUMN INTERRUPTS AND     CILO17
```

```
                              *      PACKS 4 COLUMNS INTO 3 WORDS.                CILO1760
                              *         IT FILLS THE BUFFER CALLED INPUT          CILO1770
                              *                                                   CILO1780
  0095 0   08FA            COLM1 XIO     RED                                      CILO1790
  0096 0   D0D9                  STO     CITST     SET COL. INT. TEST IND.        CILO1800
  0097 00  C4000032        LOOP1 LD    L INPUT-1                                  CILO1810
  0099 0   18D0                  RTE     16                                       CILO1820
  009A 0   C01A                  LD      CK1                                      CILO1830
  009B 0   18D0            GOB   RTE     16                                       CILO1840
  009C 00  D4800098              STO   I LOOP1+1                                  CILO1850
  009E 0   18D0                  RTE     16                                       CILO1860
                              *                                                   CILO1870
                              *                                                   CILO1880
                              *               DATA IN CARD 4 STARTS IN 009F       CILO1890
                              *                                                   CILO1900
                              *                                                   CILO1910
  009F 00  D4000033              STO   L INPUT                                    CILO1920
  00A1 00  74FC009B              MDX   L GOB,-4                                   CILO1930
  00A3 0   C0F7                  LD      GOB                                      CILO1940
  00A4 0   F009                  EOR     SENS1                                    CILO1950
  00A5 00  4C1800B0              BSC   L NEW,+-                                   CILO1960
  00A7 00  74010098              MDX   L LOOP1+1,1                                CILO1970
  00A9 00  740100A0              MDX   L GOB+5,1                                  CILO1980
  00AB 00  74040099              MDX   L GOB-2,4                                  CILO1990
  00AD 0   4878            WAIT1 BOSC    +-Z                                      CILO2000
  00AE 0   18C0            SENS1 DC      /18C0                                    CILO2010
  00AF 0   70CE                  MDX     WAIT3     WAIT FOR NEXT INT              CILO2020
  00B0 00  7410009B        NEW   MDX   L GOB,16                                   CILO2030
  00B2 00  74F40099              MDX   L GOB-2,-12                                CILO2040
  00B4 0   70F8                  MDX     WAIT1                                    CILO2050
                              *                                                   CILO2060
                              *         STORES BUFFER TO CORE                     CILO2070
                              *                                                   CILO2080
  00B5 0   0000            CK1   DC      0         COLUMN BUFFER (FROM CARD)      CILO2090
  00B6 00  C4000035        DAT   LD    L INPUT+2   GET TYPE AND COUNT             CILO2100
  00B8 0   E00B                  AND     N         REMOVE COUNT                   CILO2110
  00B9 0   D001                  STO     LAB+1     STORE COUNT IN NEXT INST.      CILO2120
  00BA 00  66000000        LAB   LDX   L2 *-*      LOAD IR2 WITH COUNT            CILO2130
  00BC 00  C4000033              LD    L INPUT     GET LOADING ADDRESS            CILO2140
  00BE 0   9015                  S       ONE                                     CILO2150
  00BF 0   D003                  STO     LOOP3+3   SET UP DATA STORE INSTR.       CILO2160
  00C0 00  C6000035        LOOP3 LD    L2 INPUT+2  GET DATA WORD                  CILO2170
  00C2 00  D6000000              STO   L2 *-*      STORE DATA WORD                CILO2180
  00C4 0   72FF            N     MDX     2 -1      DECR IR2 BY 1,IF COUNT=0 SK    CILO2190
  00C5 0   70FA                  MDX     LOOP3     CONTINUE LOADING FROM INPUT    CILO2200
                              *                                                   CILO2210
                              *                                                   CILO2220
                              *               DATA IN CARD 5 STARTS IN 00C7       CILO2230
                              *                                                   CILO2240
                              *                                                   CILO2250
  00C6 00  C4000035              LD    L INPUT+2   GET TYPE                       CILO2260
  00C8 00  4C500004              BOSC  L BSIXX,-   END-OF-PROGRAM TEST            CILO2270
  00CA 00  67800067        EOP   LDX   I3 INPUT+52 YES - SET IR-3 TO TV ADDR.     CILO2280
  00CC 0   0805                  XIO     SCRP2-1   LAST CARD TEST                 CILO2290
  00CD 0   1C03                  SLA     3                                        CILO2300
  00CE 0   4828                  BSC     +Z                                      CILO2310
  00CF 0   08A0                  XIO     CFEED-1   YES - FEED OUT                 CILO2320
  00D0 00  4CC00068              BOSC  I INPUT+53  GO TO EXECUTE                  CILO2330
  00D2 0   18D0            RTEXX RTE     16        CONSTANT FOR REST. RTE         CILO2340
```

```
0003 0   1703        SCRP2 DC        /1703       IOCC TO SENSE DSW          CIL0235
0004 0   0001        ONE   DC        /0001                                  CIL0236
0005 0   709D              MDX       CD                                     CIL0237
0006                       ORG       /4                                     CIL0238
                     *                                                      CIL0239
                     *         THIS SECTION WAS LOADED INTO CORE INITIALLY  CIL0240
                     *         AT LOC. /0006. IT IS MOVED TO PROPER ADDRESS CIL0241
                     *         DURING EXECUTION OF PROGRAM LABLED CON.      CIL0242
                     *         THIS CODING PROCESSES CHECK SUMS, HANDLES    CIL0243
                     *         PROGRAM STOP, ACCOMODATES ERRORS, AND        CIL0244
                     *         SETS UP THE INTERRUPT TV.                    CIL0245
                     *                                                      CIL0246
0004 0   4001        BSIXX BSI       LEV5        SET RETURN ADDRESS         CIL0247
0005 0   706D              MDX       CD                                     CIL0248
0006 0   0000        LEV5  DC        0           LEVEL 5 ENTRY              CIL0249
0007 0   7006              MDX       *+6         CONTINUE LEVEL 5           CIL0250
0008 0   0080              DC        INT                                    CIL0251
0009 0   0000              DC        0                                      CIL0252
000A 0   0000        IOCCX DC        0           IOCC TO SENSE              CIL0253
000B 0   3F00              DC        /3F00       CONSOLE STATUS             CIL0254
000C 0   0080              DC        INT                                    CIL0255
000D 0   0006              DC        LEV5                                   CIL0256
000E 0   D0FB              STO       IOCCX       SAVE ACCUMULATOR           CIL0257
000F 0   08FA              XIO       IOCCX       SENSE CONSOLE STATUS       CIL0258
0010 0   4828              BSC       Z+          TEST FOR PROGRAM STOP      CIL0259
0011 0 · 3000              WAIT                  YES - STOP                 CIL0260
0012 0   C0F7              LD        IOCCX       RESTORE ACCUMULATOR        CIL0261
0013 00  4CC00006          BOSC I    LEV5        RESTART NEW CARD           CIL0262
0015 0   C01E        CKSUM LD        INPUT+1     TEST CARD CHECK SUM        CIL0263
0016 00  4C1800B6          BSC  L    DAT,+-      IF ZERO, LOAD IMMEDIATELY  CIL0264
0018 00  74010026          MDX  L    CDCNT,1     INCR CARD COUNT BY ONE     CIL0265
001A 0   6236              LDX  2    54                                     CIL0266
001B 0   C00A              LD        CDCNT       ADD CARD COUNT PLUS        CIL0267
001C 00  86000032    OTTO  A    L2   INPUT-1     54 WORDS (72 COLUMNS)      CIL0268
001E 0   4802              BSC       C           IF CARRY,                  CIL0269
001F 0   8007              A         ONE4        ADD ONE                    CIL0270
0020 0   72FF              MDX  2    -1                                     CIL0271
                     *                                                      CIL0272
                     *               DATA IN CARD 6 STARTS IN /00EF         CIL0273
                     *                                                      CIL0274
0021 0   70FA              MDX       OTTO                                   CIL0275
0022 0   9C04              S         ONE4        MAKE TWOS COMPLEMENT       CIL0276
0023 00  4C1800B6          BSC  L    DAT,+-      TEST FOR ZERO              CIL0277
0025 0   3000        CK3   WAIT                  NO - CHECK SUM ERROR       CIL0278
0026 0   0000        CDCNT DC        0                                      CIL0279
0027 0   0001        ONE4  DC        1                                      CIL0280
0028 00  4C180015    FDCHK BSC  L    CKSUM,+-    BRANCH IF NO READER ERROR  CIL0281
002A 0   C045              LD        CITST       GET COL. INT. INDICATOR    CIL0282
002B 00  4C200030          BSC  L    *+3,Z       TEST FOR ANY COL. INTS.    CIL0283
002D 00  74FF0026          MDX  L    CDCNT,-1    NO, REDUCE CARD COUNT FOR  CIL0284
002F 0   1000              NOP                   RE-READ OF CARD IN FEED    CIL0285
0030 0   1810              SRA       16          YES, CLEAR ACCUM.          CIL0286
0031 0   7C60              MDX       ERSTP                                  CIL0287
                     *                                                      CIL0288
                     *                                                      CIL0289
0033                 INPUT EQU       51          INPUT BUFFER ADDRESS       CIL0290
0032 0   0000              END       TEMP                                   CIL0291
NO ERRORS
```